

## Chemicals - Spray Paints

DESCRIPTION	SIZE	ITEM #
Dark Green	16oz	CH18E
Orange	16oz	CH19E
Omaha Orange	16oz	CH1450OR
Yellow	16oz	CH23E
Castone Gray	16oz	CH269EP
Machinery Gray	16oz	CH56E
Aluminum Enamel	16oz	CH20L
Metallic ALuminum	16oz	CH16132
Light Gray Enamel	16oz	CH22E
Brown	16oz	CH24E
Red Enamel	16oz	CH25E
Dark Blue Enamel	16oz	CH26E
Flat White	16oz	CH30E
Gloss Black Enamel	16oz	CH33E
Gloss White Enamel	16oz	CH32E
Flat Black Enamel	16oz	CH49E
Satin Black Lacquer	16oz	CH50L
Black Hot Rod Primer	16oz	CH40L
Gray Enamel Primer	16oz	CH41E
MRO Red Iron Oxide Primer	16oz	CH1407R
MRO Light Gray Primer	20oz	CH1431G
Red Hot Enamel	16oz	CH43L
MRO Premium Gloss White	20oz	CH1413W
MRO Premium Gloss Black	20oz	CH1415B
MRO Flat Black	20oz	CH1433FB
MRO Gray	20oz	CH1416G
MRO Light Blue	20oz	CH1425LB
MRO Deep Blue	20oz	CH1426DB
MRO Equipment Yellow	20oz	CH1443Y
Upside Down White	20oz	CH16652
Upside Down Orange	20oz	CH16658
Upside Down Hot Pink	20oz	CH20679HPF



## Hand Cleaners

DESCRIPTION	SIZE	ITEM #
White Aloe Hand Cleaner	16 oz. Squeeze Bottle	HCAJ21016
White Aloe Hand Cleaner	Flat Top Gallon	HCAJ22261
Blue Aloe Hand Cleaner with pumice	16 oz. Squeeze Bottle	HCPJ32016
Blue Aloe Hand Cleaner with pumice	Gallon Size with pump	HCPJ32141
Blue Aloe Hand Cleaner with pumice	Flat Top Gallon	HCPJ32261
Soap Dispenser for flat top gallon		HCSD03100



\*Material Safety Data Sheets at [www.lafasteners.com](http://www.lafasteners.com)



**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**

## Chemicals - Aerosols

DESCRIPTION	SIZE	ITEM #
Gasket Remover	18 oz	CH4MA
Penetrating Oil	18 oz	CH50250MB
Electrical Parts Cleaner	18 oz	CH52145
Glass Cleaner	18 oz	CH50320MB
Engine Degreaser	18 oz	CHS273
Belt Dressing	18 oz	CHS227
Silicone Spray	18 oz	CHS278
Battery Terminal Cleaner	18 oz	CHS283
Battery Terminal Coating	18 oz	CHS284
Carb & Choke Cleaner	18 oz	CHS286
Hi-Power Carb Cleaner	18 oz	CHS287
White Grease	18 oz	CH50435
Starting Fluid	18 oz	CH50275MB
Professional Electric Motor Cleaner	18 oz	CH1520
Decal Remover	18 oz	CH161DA
Graffiti Remover	18 oz	CH20047
Brake Cleaner	20 oz	CH50276MB
Brake Parts Cleaner (Non-Chlorinated)	14 oz	CH50281MB
PB Blaster-Penetrating Oil	18 oz	CHPB
PB Blaster-Air Tool Conditioner	12 oz	CHPBATC
PB Blaster-Air Tool Oil/Lube	16 oz	CHPBATL
PB Blaster-Contact Cleaner	12 oz	CHPBCC
PB Blaster-Corrosion Stop Protectant	16 oz	CHPBCSP
PB Blaster-Extends Tool Life	12 oz	CHPBETL
PB Blaster-Garage Door Lube	12 oz	CHPBGDLP
PB Blaster-Penetrating Oil	1 Gal	CHPB128PB
PB Blaster-Penetrating Sprayer		CHPBSPRAYER
PB Blaster-The Dry Lube (Teflon)	12 oz	CHPB16TDL











**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**





U-View Ultraviolet Systems is recognized around the World as the leading manufacturer of innovative products such as coolant, AC and Brake dyes, leak detection kits, and inspection lights. Using U-View saves you time and money.

## U-View


DESCRIPTION	ITEM #	
<b>Spotgun™ Universal A/C Dye Cartridges</b>		
4oz-Services up to 32 vehicles	CH499005	
8oz-Services up to 64 vehicles	CH499108	
<b>Universal A/C Dye Cartridges and Bottles</b>		
Spotgun Jr. Single-Shot 6 cart.—0.25/7.5ml -Services 6 vehicles	CH399006	
Spotgun Jr. Multi-Shot 4 cart. - 1oz/30m - Services up to 40 vehicles	CH399020	
A/C Dye Bottle 8oz/240ml bottle—Up to 32 applications	CH499008	
<b>A/C Oil Cartridges - 8oz/240ml</b>		
Pag oil 46 viscosity	CH488046P	
Pag oil 100 viscosity	CH488100P	
Pag oil 125 viscosity	CH488125P	
Pag oil 150 viscosity	CH488150P	
Ester oil 100 viscosity	CH488108E	
<b>Multi-Purpose and RadiatorCoolant UV Dyes (Service stickers included)</b>		
Multi-Purpose - 8oz/240ml dye bottle - 8 applications	CH483208	
Multi-Purpose - 6 x 1oz/30ml - 6 applications	CHB483206	
Extended Life Coolant Dye - 6 x 1oz/30ml - 6 applications	CHB483806	
Regular Coolant Dye - 6 x 1oz/30ml - 6 applications	CHB483906	
<b>#55000 Airlift™</b>	CH55000	
-Refills entire cooling system incl. heater core.		
-Eliminates time consuming bleeding and purging		
-Check for leaks while under vacuum		
-Works on cars, trucks and off road vehicles		
<b>Jr. / Pico-Lite™ Kit</b>		
-Services up to 20 vehicles	CH332220	
-Spotgun™ Jr. and Pico-Lite™		
-2 Universal A/C Dye Cartridges		
-R-134a and R12		
-Includes UV glasses and service stickers		
<b>Spotgun™ Injection</b>		
-Services up to 64 vehicles	CH471500	
-Spotgun™		
-(1) 8oz/240ml Universal A/C Dye Cartridge		
-R-134a and R12 adapters		
-Service stickers		
<b>Spotgun™ / Micro-lite™ Kit</b>		
-50W UV light with 70° head		
-Spotgun™	CH414500	
-1 8oz/240ml Universal A/C Dye Cartridge		
-R-134a and R12 adapters		
-Includes UV glasses and Service stickers		

\*Material Safety Data Sheets at [www.lafasteners.com](http://www.lafasteners.com)







**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**

## U-View

DESCRIPTION	ITEM #	
<b>UV-Phazer™</b> -7 UV LEDs with leading edge focusing Lens -Cordless UV LED leak detection lite. -Concentrated UV light beam. -4 AA batteries. -LED has a 70,000 hour service life.	CH413070	
<b>Micro-lite™</b> -50W UV light with 70 degree angled head -Inspection distance: up to 3ft/0.9m. -"Instant-On" - no waiting time required. -Extra long power cord with battery clips. -Includes UV glasses and rugged storage.	CH#413000	

## Chemicals - Adhesives & Sealants

DESCRIPTION	SIZE	ITEM #	
<b>Hi-Tack Gasket Adhesive</b> <ul style="list-style-type: none"> <li>Sets fast to seal and hold the heaviest of gaskets in place.</li> <li>Resists gasoline, oil, kerosene, propane, and butane.</li> </ul> Applications: Felt, cork, metal, paper, and rubber gaskets.	12oz	CH49358	
<b>Super Glue</b> Instantly bonds glass, metals, plastics and rubber. Works on aluminum, copper, brass, steel, vinyl, PVC, polyester, nylon, fiberglass and wood. Holding strength to 5000 lbs.	3gm Bottle 1oz Bottle	CH49403 CH49432	
<b>Boltlocker - Blue Medium Strength (threadlocking compound)</b> Fills gaps up to .006 inches. For application before assembly. Can be removed without special tools.	6ml Bottle 24ml Bottle 250ml Bottle	CH49441 CH49442 CH49444	
<b>Boltlocker - Red High Strength (threadlocking compound)</b> Locks and seals metal threaded assemblies where high strength is required. Fills gaps up to .008 inches. For application before assembly. Protects against thread corrosion.	6ml Bottle 24ml Bottle 250ml Bottle	CH49451 CH49452 CH49454	
<b>Pipe Sealant with Teflon</b> Anaerobic sealant which chemically cures in the absence of air. Locks and seals threaded fittings. Lubricates and resists corrosion, leakage and loosening from vibration and moisture in hydraulic, pneumatic, steam and process piping. Allows final adjustments up to 24 hours after application. Seals threaded connections for air, oil, diesel fuel and hydraulic oil. Remains pliable. Temperature range -65°F to 300°F.	6ml Tube	CH49485	
	50ml Tube	CH49486	
	4oz Brush Top	CH49494	
	16oz Brush Top	CH49495	

**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**



## Chemicals - Adhesives & Sealants

### RTV Silicone Gasket Maker

Forms gaskets instantly. Resists shrinking, cracking and migration caused by thermal cycling. Cures tough and flexible. Resists oil, water, antifreeze and transmission fluid.



DESCRIPTION	SIZE	ITEM #
<b>Blue</b> For valve covers, oil pans, transmission pans, rear end housing, timing chain covers, thermostat housing, water pump flanges. Works up to 500°F (260°C).	3 oz tube	CH49203
	8 oz Pressure Can	CH49276
	11 oz Cartridge	CH49293
<b>Red</b> Formulated to withstand highest operating temperatures. Safe for use on oxygen sensor equipped vehicles. Operating range to 650°F (343°C). Resists oil, water, anti-freeze and transmission fluid.	3 oz tube	CH49202
	8 oz Pressure Can	CH49272
	11 oz Cartridge	CH49292
<b>Black</b> Sensor safe and manufactured to meet OEM specifications. For engines, drive train equipment and related components. Temperature resistant up to 500°F (260°C).	3 oz tube	CH49200
	8 oz Pressure Can	CH49271
	11 oz Cartridge	CH49290

### Dyna-Grey and Dyna-Black Gasket Maker L/V

Sensor safe, low odor, non-corrosive sealant manufactured to meet OEM specifications. Will not leak and remains flexible. Resists oil, water, anti-freeze, grease and transmission fluid. Temperature resistant up to 500°F (260°C). Use to replace gaskets on valve covers, oil pans, transmission pans, rear-end housings, water pumps and timing chain covers.



<p><b>Dyna-Grey and Dyna-Black Gasket Maker L/V</b> Sensor safe, low odor, non-corrosive sealant manufactured to meet OEM specifications. Will not leak and remains flexible. Resists oil, water, anti-freeze, grease and transmission fluid. Temperature resistant up to 500°F (260°C). Use to replace gaskets on valve covers, oil pans, transmission pans, rear-end housings, water pumps and timing chain covers.</p>	Gray	CH47181
	Black	CH47200

### General Purpose RTV Silicone

Cures at room temperature to a tough and flexible rubber. Seals and bonds terminals, connectors, mounting fixtures, mechanical gaskets, glass, metal, masonry, plastic, tile, rubber, wood and fabric. 10.3 oz Cartridge.



<p><b>General Purpose RTV Silicone</b> Cures at room temperature to a tough and flexible rubber. Seals and bonds terminals, connectors, mounting fixtures, mechanical gaskets, glass, metal, masonry, plastic, tile, rubber, wood and fabric. 10.3 oz Cartridge.</p>	Clear*	CHSCC
	White*	CHSCW
	Aluminum/Gray*	CHSCA
	Blue	CHSCB
	Black	CHSCBK
*USDA approved.		

### Super Weatherstrip & Gasket Adhesive

High strength, fast drying, waterproof adhesive for holding gaskets in place and for bonding weatherstripping. Use for seat trim, headliner trim and carpeting. Bonds rubber, vinyl, metal, fabrics and glass. Resists oil and most shop and automotive fluids. Holds sanding discs. Parts can be repositioned while drying.



<p><b>Super Weatherstrip &amp; Gasket Adhesive</b> High strength, fast drying, waterproof adhesive for holding gaskets in place and for bonding weatherstripping. Use for seat trim, headliner trim and carpeting. Bonds rubber, vinyl, metal, fabrics and glass. Resists oil and most shop and automotive fluids. Holds sanding discs. Parts can be repositioned while drying.</p>	Black	CH49429
	Yellow	CH49430

### Butyl Sealant

One part rubber based sealant for use on metal, glass, masonry or wood joints requiring weather or moisture protection.







<p><b>Butyl Sealant</b> One part rubber based sealant for use on metal, glass, masonry or wood joints requiring weather or moisture protection.</p>	Grey	CHPB150G
	White	CHPB150W

\*Material Safety Data Sheets available upon request.



**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**

## Chemicals - Adhesives & Sealants

DESCRIPTION	SIZE	ITEM #	
<p><b>Rubberized Undercoating</b></p> <ul style="list-style-type: none"> <li>Seals, protects &amp; insulates.</li> <li>Professional grade.</li> <li>Paintable.</li> <li>Quiets road noise.</li> <li>Adheres to any surface.</li> </ul>	16oz	CH50924	
<p><b>Marvel Mystery Oil</b></p> <p>Specially formulated tool oil for use in all piston type and rotary air tools, as well as in-line air lubricators. Prevents rust formation in air tools while providing positive lubrication for smoother starting, longer lasting tools. Dissolves gum and sludge that reduce tools speed and power.</p>	Quart 4 oz. Bottle 1 Quart	MIAOIL MIAOIL4OZ MIAOIL	
<p><b>Anti-Seize &amp; Lubricating Compound</b></p> <p>Prevents seizing, fretting, pitting, galling and corrosion on all types of metal parts at temperatures between -200°F and 2000°F (-128°C to 1093°C). Protects against corrosion between dissimilar metals. Eases assembly and disassembly. Extends part life while increasing high temperature reliability. Resists water, salt solution, and most shop and automotive fluids. Reduces coefficient of friction by a minimum of 20%. Meets MIL-907.</p>	4oz Brush Top 8oz Brush Top 16oz Brush Top 6oz Aerosol 16oz Aerosol	CH49550 CH49558 CH49560 CH49570 CH49576	
<p><b>WD-40</b></p> <p><b>Prevents rust/corrosion</b> - WD-40 stops rust corrosion. It deposits its inhibitors within the metal. Light rust and corrosion can be wiped off within minutes after application.</p> <p><b>Lubricates</b> - WD-40 will not oxidize and cause delicate mechanisms to gum as will normal lubricants. It keeps lubricating quality at all temperatures, even in freezing weather.</p> <p><b>Penetrates</b> - WD-40 is used to free binding and corrosion frozen parts. It is ideal for use on close tolerance fittings. There is no more effective penetrant on the market.</p> <p><b>Displaces moisture</b> - WD-40 displaces moisture and has a "drying out" effect. It is particularly useful for application on electric motors. It inhibits moisture condensation and further wetting.</p> <p style="font-size: small;">*Material Safety Data Sheets at <a href="http://www.lafasteners.com">www.lafasteners.com</a></p>	11 oz. Can Gal. Can	CHAWD40 CHGWD40	

**To Order Call: 708-447-4500 or Outside Illinois 800-837-8707**

