

DRILL BITS

STANDARD LENGTH DRILL BITS					QTY: 1
SIZE	STANDARD DUTY	HEAVY DUTY *	COBALT*	MECHANICS LENGTH*	FULL PKG QTY
1/16	DB10	DBHD10	DBC10		12
5/64	DB11	DBHD11	DBC11		12
3/32	DB12	DBHD12	DBC12		12
7/64	DB13	DBHD13	DBC13		12
1/8	DB20	DBHD20	DBC20	DBML20	12
9/64	DB21	DBHD21	DBC21		12
5/32	DB22	DBHD22	DBC22		12
11/64	DB23	DBHD23	DBC23	DBML23	12
3/16	DB30	DBHD30	DBC30	DBML30	12
13/64	DB31	DBHD31	DBC31		12
7/32	DB32	DBHD32	DBC32	DBML32	12
15/64	DB33	DBHD33	DBC33	DBML33	12
1/4	DB40	DBHD40	DBC40	DBML40	12
17/64	DB41	DBHD41	DBC41	DBML41	12
9/32	DB42	DBHD42	DBC42	DBML42	12
19/64	DB43	DBHD43	DBC43		12
5/16	DB50	DBHD50	DBC50	DBML50	6
21/64	DB51	DBHD51	DBC51		6
11/32	DB52	DBHD52	DBC52		6
23/64	DB53	DBHD53	DBC53		6
3/8	DB60	DBHD60	DBC60	DBML60	6
25/64	DB61	DBHD61	DBC61		6
13/32	DB62	DBHD62	DBC62		6
27/64	DB63	DBHD63	DBC63		6
7/16	DB70	DBHD70	DBC70		6
29/64	DB71	DBHD71	DBC71		6
15/32	DB78	DBHD78	DBC78		6
31/64	DB73	DBHD73	DBC73		6
1/2	DB80	DBHD80	DBC80	DBML80	6

1/2" ROUND SHANK					
SIZE	ITEM #	QTY	SIZE	ITEM #	QTY
11/16	DBS1116	1	37/64	DBS3764	1
1/8	DBS11250	1	49/64	DBS4964	1
13/16	DBS1316	1	9/16	DBT090	1
15/16	DBS1516	1	5/8	DBT100	1
17/32	DBS1732	1	3/4	DBT120	1
21/32	DBS2132	1	7/8	DBT140	1
23/32	DBS2332	1	1"	DBT160	1
25/32	DBS2532	1			



Heavy Duty Shown



LA108 29 Piece Jobbers Length Drill Bit Assortment



STEP DOWN DRILL BITS

ITEM #	HOLE SIZE	SHANK
DBSD45441	1/4 - 3/4	3/8
DBSD45441	9/16 - 1	3/8
DBSD45711	3/16 - 1/2	3/8
DBSD45741	1/4 - 7/8	3/8
DB45421	3/16 - 7/8	3/8

* Heavy Duty, Cobalt & Mechanics Length. Shank- 3 flat sides for no-slip grip.

Our heavy duty drill bit will drill more holes and take more abuse than any other. No walk drilling, rugged construction. For faster drilling of tough material such as stainless and hi-alloy steels, the 135 degree split point and surface treatment increase wear resistance of the drill.

To Order Call: 708-447-4500 or Outside Illinois 800-837-8707



DRILL BITS

6" & 12" LONG DRILL BITS QTY: 1 EA.					
6" LONG			12" LONG		
SIZE	ITEM #	PKG QTY	SIZE	ITEM #	PKG QTY
3/16	DBT630	6	3/16	DBH1230	6
7/32	DBT632	6	7/32	DBH1232	6
15/64	DBT633	6	1/4	DBH1240	6
1/4	DBT640	6	17/64	DBH1241	6
9/32	DBT642	6	9/32	DBH1242	6
5/16	DBT650	6	5/16	DBH1250	3
3/8	DBT660	6	3/8	DBH1260	3
7/16	DBT670	6	7/16	DBH1270	3
1/2	DBT680	6	1/2	DBH1280	3



DOUBLE END DRILL BITS		
SIZE	ITEM #	QTY
1/8	DB20TSM8	12
3/16	DB30TSM8	12
1/4	DB40TSM8	12



JOBBER'S LENGTH DRILL BITS QTY: 1 EA.								
LETTER SIZES			NUMBER SIZES					
SIZE	PKG QTY	ITEM	SIZE	PKG QTY	ITEM	SIZE	PKG QTY	ITEM
A	12	DBA	1	12	DBN1	31	12	DBN31
B	12	DBB	2	12	DBN2	32	12	DBN32
C	12	DBC	3	12	DBN3	33	12	DBN33
D	12	DBD	4	12	DBN4	34	12	DBN34
E	12	DBE	5	12	DBN5	35	12	DBN35
F	12	DBF	6	12	DBN6	36	12	DBN36
G	12	DBG	7	12	DBN7	37	12	DBN37
H	12	DBH	8	12	DBN8	38	12	DBN38
I	12	DBI	9	12	DBN9	39	12	DBN39
J	12	DBJ	9	12	DB6N9	40	12	DBN40
K	12	DBK	10	12	DBN10	41	12	DBN41
L	12	DBL	11	12	DBN11	42	12	DBN42
M	6	DBM	12	12	DBN12	43	12	DBN43
N	6	DBN	13	12	DBN13	44	12	DBN44
O	6	DBO	14	12	DBN14	45	12	DBN45
P	6	DBP	15	12	DBN15	46	12	DBN46
Q	6	DBQ	16	12	DBN16	47	12	DBN47
R	6	DBR	17	12	DBN17	48	12	DBN48
S	6	DBS	18	12	DBN18	49	12	DBN49
T	6	DBT	19	12	DBN19	50	12	DBN50
U	6	DBU	20	12	DBN20	51	12	DBN51
V	6	DBV	21	12	DBN21	52	12	DBN52
W	6	DBW	22	12	DBN22	53	12	DBN53
X	6	DBX	23	12	DBN23	54	12	DBN54
Y	6	DBY	24	12	DBN24	55	12	DBN55
Z	6	DBZ	25	12	DBN25	56	12	DBN56
			26	12	DBN26	57	12	DBN57
			27	12	DBN27	58	12	DBN58
			28	12	DBN28	59	12	DBN59
			29	12	DBN29	60	12	DBN60
			30	12	DBN30			



The 135 degree split-point on this bit produces less walking and ensures an accurate start everytime. Black surface-treated finish makes it the perfect choice for a variety of medium hardness metal drilling.



To Order Call: 708-447-4500 or Outside Illinois 800-837-8707

REAMERS & DIES



REAMERS		
SIZE	QTY	FINE THREAD
1/2	1	DBCPSA80M8
5/8	1	DBCPSA80M10
3/4	1	DBCPSA80M12
7/8	1	DBCPSA80M14
1"	1	DBCPSA80M16

These reamers make short work of enlarging holes in framework and structural steel. Multiple tapered cutting edges evenly distribute the cutting load for effortless reaming. Engineered exclusively to enlarge and align existing holes. Especially useful in tight spots. Industrial applications include steel erection, automotive, truck and trailer manufacturing and repair.



COARSE & NPT THREAD DIES			
SIZE	QTY	COARSE THREAD	NPT THREADS
1/8-27	1		DBDP2
10-24	1	DBDM04	
1/4-20	1	DBDU04	
1/4-18	1		DBDP4
5/16-18	1	DBDU05	
3/8-16	1	DBDU06	
3/8-18	1		DBDP6
7/16-14	1	DBDU07	
1/2-13	1	DBDU08	
1/2-14	1		DBDP8
9/16-12	1	DBDU09	
5/8-11	1	DBDU10	
3/4-10	1	DBDU12	
7/8-9	1	DBDU14	
1-8	1	DBDU16	

METRIC DIES		
SIZE	QTY	METRIC
3.0 X .6	1	DBMD36
4.0 X .7	1	DBMD47
4.0 X 7.5	1	DBMD475
5.0 X .8	1	DBMD58
5.0 X .9	1	DBMD59
6.0 X 1	1	DBMD61
7.0 X 1.0	1	DBMD71
8.0 X 1.0	1	DBMD81
8.0 X 1.25	1	DBMD8125
9 X 1.0	1	DBMD91
9 X 1.25	1	DBMD9125
10 X 1.25	1	DBMD10125
10 X 1.5	1	DBMD10150
11 X 1.5	1	DBMD11150
12 X 1.25	1	DBMD12125
12 X 1.5	1	DBMD12150

FINE THREAD DIES		
SIZE	QTY	FINE THREAD
4-40	1	DBDM01
6-32	1	DBDM02
8-32	1	DBDM03
10-32	1	DBDM05
1/4-28	1	DBDS04
5/16-24	1	DBDS05
3/8-16	1	DBDS06
7/16-20	1	DBDS07
1/2-20	1	DBDS08
9/16-18	1	DBDS09
5/8-18	1	DBDS10
3/4-16	1	DBDS12
7/8-14	1	DBDS14
1-14	1	DBDS16

To Order Call: 708-447-4500 or Outside Illinois 800-837-8707



TAPS

HIGH SPEED TAPS					
	SIZE	QTY	TAPER ITEM	PLUG ITEM	BOTTOM ITEM
C O A R S E T H R E A D	2-56	1	DBHSTTC002	DBHSPTC002	DBHSBTC002
	4-40	1	DBHSTTC004	DBHSPTC004	DBHSBTC004
	6-32	1	DBHSTTC006	DBHSPTC006	DBHSBTC006
	8-32	1	DBHSTTC008	DBHSPTC008	DBHSBTC008
	10-24	1	DBHSTTC010	DBHSPTC010	DBHSBTC010
	1/4-20	1	DBHSTTC04	DBHSPTC04	DBHSBTC04
	5/16-18	1	DBHSTTC05	DBHSPTC05	DBHSBTC05
	3/8-16	1	DBHSTTC06	DBHSPTC06	DBHSBTC06
	7/16-14	1	DBHSTTC07	DBHSPTC07	DBHSBTC07
	1/2-13	1	DBHSTTC08	DBHSPTC08	DBHSBTC0
	9/16-12	1	DBHSTTC09	DBHSPTC09	DBHSBTC09
	5/8-11	1	DBHSTTC10	DBHSPTC10	DBHSBTC10
	3/4-10	1	DBHSTTC12	DBHSPTC12	DBHSBTC12
	7/8-9	1	DBHSTTC14	DBHSPTC14	DBHSBTC14
	1-8	1	DBHSTTC16	DBHSPTC16	DBHSBTC16
	F I N E T H R E A D	6-40	1		
10-32		1	DBHSTTF010	DBHSPTF010	DBHSBTF010
1/4-28		1	DBHSTTF04	DBHSPTF04	DBHSBTF04
5/16-24		1	DBHSTTF05	DBHSPTF05	DBHSBTF05
3/8-24		1	DBHSTTF06	DBHSPTF06	DBHSBTF06
7/16-20		1	DBHSTTF07	DBHSPTF07	DBHSBTF07
1/2-20		1	DBHSTTF08	DBHSPTF08	DBHSBTF08
9/16-18		1	DBHSTTF09	DBHSPTF09	DBHSBTF09
5/8-18		1	DBHSTTF10	DBHSPTF10	DBHSBTF10
3/4-16		1	DBHSTTF12	DBHSPTF12	DBHSBTF12
M E T R I C	3.0 X .5	1	DBMTBTC03	DBMTPTC03	DBMTTTC03
	3.5 X .6	1	DBMTBTC035	DBMTPTC035	DBMTTTC035
	4.0 X .7	1	DBMTBTC04	DBMTPTC04	DBMTTTC04
	4.5 X 7.5	1	DBMTBTC045	DBMTPTC045	DBMTTTC045
	5.0 X .8	1	DBMTBTC05	DBMTPTC05	DBMTTTC05
	6.0 X 1.0	1	DBMTBTC06	DBMTPTC06	DBMTTTC06
	7.0 X 1.0	1	DBMTBTC07	DBMTPTC07	DBMTTTC07
	8.0 X 1.25	1	DBMTBTC08	DBMTPTC08	DBMTTTC08
	10 X 1.50	1	DBMTBTC10	DBMTPTC10	DBMTTTC10
	12 X 1.75	1	DBMTBTC12	DBMTPTC12	DBMTTTC12
	14 X 2	1	DBMTBTC14	DBMTPTC14	DBMTTTC14
	16 X 2	1	DBMTBTC16	DBMTPTC16	DBMTTTC16
18 X 2	1	DBMTBTC18	DBMTPTC18	DBMTTTC18	
20 X 2.5	1	DBMTBTC20	DBMTPTC20	DBMTTTC20	

High Speed Steel perfect for Use for general machine, CNC, and hand tapping of most materials. Also available in sets.



To Order Call: 708-447-4500 or Outside Illinois 800-837-8707

CUT OFF WHEELS

metabo[®]
work. don't play.

Professional quality in a wide variety of sizes, types and abrasive materials for the highest value.

SPECS: Aluminum Oxide (A) for general purpose processing of metals
Zirconia Alumina (ZA) for harder metals and longest life
Silicon Carbide (C) for non-ferrous metals, stone, concrete

The abrasive grain size determines the aggressiveness and finish

Lower numbers (16-24) offer aggressive metal removal.
Higher numbers (30-60) offer cooler grinding and finer finishes.

The hardness of the bond determines the useful life of the abrasive grain:
from A (softest) to Z (hardest)

EXAMPLE: A 30 S = A - General Purpose Aluminum Oxide Wheel for Ferrous Metals
30 - For Cooler Grinding and Finer Finish
S - A Hard Wheel for High Wheel Life

	CUT OFF WHEELS						Qty. 1
	ITEM #	APPLICATION	TYPE	SPECS	DIAMETER	THICKNESS	ARBOR
	MBO55317	STEEL	TYPE 1	A 60 TZ	3"	0.04	3/8"
	MBO55318	STEEL	TYPE 1	A 36 TZ	3"	1/16"	1/4"
	MBO55321	STEEL	TYPE 1	A 60 TZ	3"	1/16"	3/8"
	MBO16321	STEEL	TYPE 1	A 30 S	3"	1/8"	3/8"
	MBO55323	STEEL	TYPE 1	A 60 TZ	4"	0.04	3/8"
	MBO55324	STEEL	TYPE 1	A 60 TZ	4"	0.04	5/8"
	MBO55325	STEEL	TYPE 1	A 36 TZ	4"	1/16"	1/4"
	MBO55327	STEEL	TYPE 1	A 36 TZ	4"	1/16"	3/8"
	MBO55329	STEEL	TYPE 1	A 36 TZ	4"	1/16"	5/8"
	MBO55331	STEEL	TYPE 1	A 60 TZ	4-1/2"	0.04	7/8"
	MBO55333	STEEL	TYPE 1	A 60 TZ	4-1/2"	1/16"	7/8"
	MBO55997	STEEL	TYPE 1	A 60 TX	4-1/2"	0.04	7/8"
	MBO16727	STEEL	TYPE 1	A 30 R	4-1/2"	3/32"	7/8"
	MBO55334	STEEL	TYPE 1	A 60 TZ	5"	0.40	7/8"
	MBO55339	STEEL	TYPE 1	A 60 TZ	6"	0.04	7/8"
	MBO55344	STEEL	TYPE 1	A 36 TZ	6"	1/16"	7/8"
	MBO55352	STEEL	TYPE 27	A 60 TX	6"	1/16"	7/8"
	MBO55998	STEEL	TYPE 1	A 60 TX	6"	0.04	7/8"
	MBO55999	STEEL	TYPE 1	A 60 TZ	6"	0.04	3/8"
	MBO16333	STEEL	TYPE 1	A 30 S	7"	1/8"	DIAMOND
	MBO16334	ALUMINUM	TYPE 1	C 30 S	7"	1/8"	DIAMOND
	MBO16136	STEEL	TYPE 1	A 24 N	12"	1/8"	20MM
	MBO16337	STEEL	TYPE 1	A 30 R	12"	3/32"	1"
	MBO16340	STEEL	TYPE 1	A 24 M	14"	3/32"	1"
	MBO16204	STEEL	TYPE 1	A 30 S	16"	5/32	1"
	MBO16365	STEEL	TYPE 1	A 30 N	20"	3/16'	1"



TYPE 1



TYPE 27

To Order Call: 708-447-4500 or Outside Illinois 800-837-8707



GRINDING WHEELS

GRINDING WHEELS Qty. 1							
ITEM #	APPLICATION	TYPE	SPECS	DIAMETER	THICKNESS	ARBOR	MAX RPM
MBO16339	STEEL	TYPE 27	A 24 R	4"	1/4"	3/8"	15,300
MBO16791	STEEL	TYPE 27	ZA 24 T	4"	1/4"	3/8"	15,300
MBO16745	STEEL	TYPE 27	A 24 N	4"	1/4"	5/8"	15,300
MBO16307	STEEL	TYPE 27	A 24 R	4-1/2"	1/4"	7/8"	13,300
MBO16726	STEEL	TYPE 27	A 24 N	4-1/2"	1/4"	7/8"	13,300
MBO16729	STEEL	TYPE 27	C 24 N	4-1/2"	1/4"	7/8"	13,300
MBO16748	ALUMINUM	TYPE 27	A 36 M	4-1/2"	1/4"	7/8"	13,300
MBO16785	STEEL	TYPE 27	ZA 24 T	4-1/2"	1/4"	7/8"	13,300
MBO55281	STEEL	TYPE 27	A 24 T	4-1/2"	1/8"	5/8"-11	13,300
MBO55307	STEEL	TYPE 27	A 24 R	4-1/2"	1/4"	5/8"-11	13,300
MBO55726	STEEL	TYPE 27	A 24 N	4-1/2"	1/8"	5/8"-11	13,300
MBO55748	ALUMINUM	TYPE 27	A 36 M	4-1/2"	1/4"	5/8"-11	13,300
MBO55785	STEEL	TYPE 27	ZA 24 T	4-1/2"	1/4"	5/8"-11	13,300
MBO55794	STEEL	TYPE 27	ZA 24 T	6"	1/8"	5/8"-11	10,200
MBO16554	STEEL	TYPE 27	A 24 N	6"	1/4"	7/8"	10,200
MBO16754	STEEL	TYPE 27	A 36 M	6"	1/4"	7/8"	10,200
MBO16560	STEEL	TYPE 27	A 24 N	7"	1/4"	7/8"	8,500
MBO16610	STAINLESS	TYPE 27	A 36 O	7"	1/4"	7/8"	8,500
MBO55560	STEEL	TYPE 27	A 24 N	7"	1/4"	5/8"-11	8,500
MBO55760	ALUMINUM	TYPE 27	A 36 M	7"	1/4"	5/8"-11	8,500
MBO55788	STAINLESS	TYPE 27	ZA 24 T	7"	1/4"	5/8"-11	8,500
MBO55572	STEEL	TYPE 27	A 24 N	9"	1/4"	5/8"-11	6,600
MBO55789	STAINLESS	TYPE 27	ZA 24 T	9"	1/4"	5/8"-11	6,600
MBO55763	ALUMINUM	TYPE 27	A 36 M	9"	1/4"	5/8"-11	6,600
MBO55784	STEEL	TYPE 27	A 36 M	9"	1/4"	5/8"-11	6,600



TYPE 1

TYPE 27

BENCH GRINDING WHEELS Qty. 1						
ITEM #	APPLICATION	DIAMETER	THICKNESS	ARBOR	GRIT	
MBO55401	STEEL	6"	3/4"	1"	36 GRIT	
MBO55402	STEEL	6"	3/4"	1"	60 GRIT	
MBO55403	STEEL	6"	3/4"	1"	80 GRIT	
MBO55415	STEEL	8"	1"	1-1/4"	60 GRIT	
MBO55416	STEEL	8"	1"	1-1/4"	80 GRIT	

WIRE WHEELS Qty: 1		
ITEM #	DESCRIPTION	
MBO16345	CUP WHEEL WITH STEEL BACK	
MBOWBK658	KNOTTED WIRE CUP (8500 RPM)	
MBO6514301	CRIMP WIRE CUP BRUSH 1-3/4"	
MBO6514302	CRIMP WIRE CUP BRUSH 3"	
MBO10010	WIRE BRUSH 1" DIAMETER	
MBO13138	KNOTTED WIRE WHEEL	
MBO6510007	CRIMPED WIRE END BRUSH 3/4"	
MBO6517610	CRIMPED WIRE WHEEL 2"	
MBO55214	CRIMPED WIRE WHEEL 3"	



To Order Call: 708-447-4500 or Outside Illinois 800-837-8707

SAW BLADES, SANDING

CARBIDE TIPPED CIRCULAR SAW BLADES Qty. 1

Designed for smooth ripping and crosscutting in all types of wood, finish plywood, and prefinished materials.

ITEM NO.	DIAMETER	FINISH	NO. OF TEETH
BLB725LCBR	7-1/4"	SILVER	24
BLB7254740	7-1/4"	SILVER	40
BLBD793616	7-1/4"	RED	24




ROOFERS SPECIALTY CARBIDES Qty. 1

Designed for rough cutting through tar paper, shingles and related roofing materials with embedded nails.

ITEM NO.	DIAMETER	FINISH	NO. OF TEETH
BL725BCBRS	7-1/4"	BLACK	14

EMERY CLOTH Qty. 1




ITEM #	W x L x GRIT	ITEM #	W x L x GRIT
MBOEC160	1" Wx50 YDS / 60 GRIT	MBOEC15120	1.5" Wx50 YDS / 120 GRIT
MBOEC180	1" Wx50 YDS / 80 GRIT	MBOEC15180	1.5" Wx50 YDS / 180 GRIT
MBOEC1120	1" Wx50 YDS / 120 GRIT	MBOEC15220	1.5" Wx50 YDS / 220 GRIT
MBO5150	1" Wx60 YDS / 320 GRIT	MBOEC15240	1.5" Wx50 YDS / 240 GRIT
MBOEC1180	1" Wx50 YDS / 180 GRIT	MBOEC2180	2" Wx50 YDS / 180 GRIT
MBOEC1220	1" Wx50 YDS / 220 GRIT	MBOEC2220	2" Wx50 YDS / 220 GRIT
MBO5156	1" Wx60 YDS / 120 GRIT	MBOEC2240	2" Wx50 YDS / 240 GRIT
MBOEC1580	1.5" Wx50 YDS / 80 GRIT	MBOEC2320	2" Wx50 YDS / 320 GRIT

FLAP WHEELS Qty. 1

ITEM #	DESCRIPTION	DIAMETER X GRIT	ITEM #	DESCRIPTION	DIAMETER X GRIT
MBOFW160	FLAP WHEEL	1" D. x 60 GRIT	MBOFW260	FLAP WHEEL	2" D. x 60 GRIT
MBOFW180	FLAP WHEEL	1" D. x 80 GRIT	MBOFW280	FLAP WHEEL	2" D. x 80 GRIT
MBOFW1120	FLAP WHEEL	1" D. x 120 GRIT	MBOFW2120	FLAP WHEEL	2" D. x 120 GRIT
MBOFW1240	FLAP WHEEL	1" D. x 240 GRIT	MBOFW2580	FLAP WHEEL	2.5" D. x 80 GRIT
MBOFW1560	FLAP WHEEL	1.5" D. x 60 GRIT	MBOFW360	FLAP WHEEL	3" W. x 60 GRIT
MBOFW1580	FLAP WHEEL	1.5" D. x 80 GRIT	MBOFW380	FLAP WHEEL	3" W. x 80 GRIT
MBOFW15120	FLAP WHEEL	1.5" D. x 120 GRIT	MBOFW3120	FLAP WHEEL	3" W. x 120 GRIT



FLAP DISCS Qty. 1



ITEM #	DESCRIPTION	DIAMETER X GRIT
MBO24241	ZIRCONIA FLAP DISC	4.5" W x 7/8" H x 40 GRIT TYPE 29
MBO24243	ZIRCONIA FLAP DISC	4.5" W x 7/8" H x 60 GRIT TYPE 29
MBO24246	ZIRCONIA FLAP DISC	4.5" W x 7/8" H x 40 GRIT TYPE 27
MBO24247	ZIRCONIA FLAP DISC	4.5" W x 7/8" H x 60 GRIT TYPE 27
MBO24248	ZIRCONIA FLAP DISC	4.5" W x 7/8" H x 80 GRIT TYPE 27
MBO24354	ZIRCONIA FLAP DISC	7" W x 7/8" H x 40 GRIT TYPE 27
MBO629493000	CERAMIC FLAP DISC	4.5" W x 7/8" H x 40 GRIT TYPE 27
MBO629494000	CERAMIC FLAP DISC	4.5" W x 7/8" H x 60 GRIT TYPE 27

Ceramic

To Order Call: 708-447-4500 or Outside Illinois 800-837-8707



FIBER DISCS & ROLOCS

FIBER DISCS Qty: 1			
ITEM #	DIAMETER X GRIT	ITEM #	DIAMETER X GRIT
MBORFD424	4" D. x 24 GRIT	MBORFD550	5" D. x 50 GRIT
MBORFD436	4" D. x 36 GRIT	MBORFD636	6" D. x 36 GRIT
MBORFD450	4" D. x 50 GRIT	MBORFD716	7" D. x 16 GRIT
MBORFD4524	4-1/2" X 24 GRIT	MBORFD724	7" D. x 24 GRIT
MBORFD4536	4-1/2" X 36 GRIT	MBORFD736	7" D. x 36 GRIT
MBORFD516	5" D. x 16 GRIT	MBORFD760	7" D. x 60 GRIT
MBORFD524	5" D. x 24 GRIT	MBORFD780	7" D. x 80 GRIT
MBORFD536	5" D. x 36 GRIT	MBOBP	* 7" BACKING PAD



* 5/8"-11 Hub

PSA DISC ROLLS Qty: 100 per roll		
ITEM #	DESCRIPTION	DIAMETER X GRIT
MBOPSA660	FIBER DISC	6" D. x 60 GRIT
MBOPSA680	FIBER DISC	6" D. x 80 GRIT
MBOPSA6120	FIBER DISC	6" D. x 120 GRIT
MBOPSA6150	FIBER DISC	6" D. x 150 GRIT
MBOPSA6180	FIBER DISC	6" D. x 180 GRIT
MBOPSA6220	FIBER DISC	6" D. x 220 GRIT



ROLOC DISCS AND BACKING PADS		
ITEM #	DESCRIPTION	DIAMETER X GRIT
MBO01398	ROLOC GREEN	2" D. x 24 GRIT (25 PER BOX)
MBO01397	ROLOC GREEN	2" D. x 36 GRIT (25 PER BOX)
MBO01396	ROLOC GREEN	2" D. x 50 GRIT (25 PER BOX)
MBO01408	ROLOC GREEN	3" D. x 24 GRIT (25 PER BOX)
MBO01407	ROLOC GREEN	3" D. x 36 GRIT (25 PER BOX)
MBO01346	ROLOC BLUE	3" D. x 80 GRIT (15 PER BOX)
MBOBP2	BACKING PAD	FOR 2" QUICK CHANGE DISC
MBOBP3	BACKING PAD	FOR 3" QUICK CHANGE DISC
MBO3M7530	SURFACE CONDITIONING	1" DISC GREEN (10 per Box)
MBO3M7531	SURFACE CONDITIONING	1" DISC YELLOW (10 per Box)
MBO3M7524	SURFACE CONDITIONING	2" DISC GREEN (10 per Box)
MBO3M7525	SURFACE CONDITIONING	2" DISC YELLOW (10 per Box)
MBO3M7528	SURFACE CONDITIONING	2" DISC WHITE (10 per Box)



SURFACE CONDITIONER PADS		
ITEM #	DESCRIPTION	DIAMETER X GRIT
MBO7480	BROWN	2" COARSE (25 PER BOX)
MBO7485	BROWN	3" COARSE (25 PER BOX)
MBO7481	MAROON	2" MEDIUM (25 PER BOX)
MBO7486	MAROON	3" MEDIUM (25 PER BOX)




SCUFF PADS			
ITEM #	DESCRIPTION	SIZE	QUANTITY
MBO7447	General Purpose	6" x 9" Pad	20 per box
MBO7457	General Purpose	2" Diameter	25 per box






To Order Call: 708-447-4500 or Outside Illinois 800-837-8707

HOLE SAWS



	HOLE SAWS							
	ITEM #	DIAMETER		PIPE TAP		PIPE ENTRANCE		USE ARBOR NUMBER
		INCH	MM	INCH	MM	INCH	MM	
	LN30010	5/8	16					5L
	LN30012	3/4	19	1/2	13	3/8	10	5L
	LN30014	7/8	22	3/4	19	1/2	13	5L
	LN30016	1	25					5L
	LN30018	1-1/8	29	1	25	3/4	19	5L
	LN30020	1-1/4	32					2L
	LN30022	1-3/8	35			1	25	2L
	LN30024	1-1/2	28	1-1/4	32			2L or 7L
	LN30026	1-5/8	41					2L or 7L
	LN30028	1-3/4	44	1-1/2	38	1-1/4	32	2L or 7L
	LN30030	1-7/8	48					2L or 7L
	LN30032	2	51			1-1/2	38	2L or 7L
	LN30034	2-1/8	54					2L or 7L
	LN30036	2-1/4	57	2	51			2L or 7L
	LN30038	2-3/8	60					2L or 7L
	LN30040	2-1/2	64			2	51	2L or 7L
	LN30042	2-5/8	7					2L or 7L
	LN30044	2-3/4	70					2L or 7L
	LN30048	3	76			2-1/2	64	2L or 7L
	LN30052	3-1/4	83	3	76			2L or 7L
	LN30056	3-1/2	90					2L or 7L
	LN30058	3-5/8	92			3	76	2L or 7L
	LN30064	4	102					2L or 7L
	LN30066	4-1/8	105			3-1/2	90	2L or 7L
	LN30072	4-1/2	115					2L or 7L
	LN30076	4-3/4	121	4-1/2	115	4	102	2L or 7L
	LN30080	5	127					2L or 7L
	LN30096	6	152					2L or 7L
	LN30804	KIT 2000G Big Daddy			20 Sizes			
	LN30820	Deluxe Hole Saw Kit			12 Sizes			

MANDRELS

			
ITEM #	FITS HOLE SAW	FITS CHUCK SIZES	SHANK SIZE
LN30002	9/16 - 1-3/16	1/4"	1/4 Hex
LN30005	9/16 - 1-3/4	1/2"	7/16 Hex
LN30007	1-1/4 - 6	1/2"	7/16 Hex self eject

To Order Call: 708-447-4500 or Outside Illinois 800-837-8707



BLADES, KNIVES & ACCESSORIES



ACCESSORIES



Arbor Adapter



Pilot Bit

ITEM #	DESCRIPTION	CHUCK SIZE	FITS ARBOR NUMBER
LNx30850	Pilot Drill	1/4	2L
LNx30851	Pilot Drill	1/4	5L and 7L
LNx30857	Arbor Adapter		5L

BI-METAL RECIPROCATING SAW BLADES

- A large assortment of quality blades to cut almost any material - fiber, glass, wood, ceramic tile, composites, metals, stainless steel.
- Blades to fit all popular machines - Standard jig saws, Bosch shank and Porter Cable bayonet shank.
- Full line designed for rough finish and flush cutting.

DESCRIPTION	ITEM #	LENGTH		TPI	
		INCHES	MM		
Metal Cutting 5Pk	LNx20174	6	100	18	
Wood/Nails 5Pk	LNx20178	9	225	14	
Wood/Nails 5Pk	LNx20449	4	100	6	
Demolition 2Pk	LNx20500	12	300	6	
Metal Cutting 5Pk	LNx20554	4	100	24	
Wood/Nails 5Pk	LNx20562	6	100	10	
Metal Cutting 5Pk	LNx20564	6	100	14	
Metal Cutting 5Pk	LNx20566	6	100	18	
Metal Cutting 5Pk	LNx20568	6	100	24	
Wood/Nails 5Pk	LNx20572	6	100	6	
Abrasives 2Pk	LNx20576	8	200	Med. Grit	
Metal Cutting 5Pk	LNx20578	8	200	18	
Wood/Nails 5Pk	LNx20580	8	200	10	
Wood/Nails 5Pk	LNx20582	9	225	6	
Wood/Nails 5Pk	LNx20583	12	300	10/14	
Wood/Nails 5Pk	LNx20585	12	300	6	
Wood/Nails 2Pk	LNx20592	6	100	10/14	
Demolition 2Pk	LNx20597	9	225	10	
Demolition 2Pk	LNx20598	9	225	6	
Close Quarter 10k	LNx20906	6	100	32	
Metal Cutting 5Pk	LNx21510	12	300	18	



To Order Call: 708-447-4500 or Outside Illinois 800-837-8707